

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING D | DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | ATTORNEY DOCKET NO. CONFIRMATION NO. | |
|---------------------------------|---------------|------------|----------------------|------------------------|--------------------------------------|--|
| 10/736,386 | 12/15/2 | 2003 | Bruce Whitefield | 03-1345 | 6227 | |
| 24319 LSI CORPORA | 7590 ATION | 07/30/2007 | | EXAM | INER | |
| 1621 BARBER LANE | | | | THORNEWELL, KIMBERLY A | | |
| MS: D-106 MILPITAS, CA 95035 | | | | ART UNIT | PAPER NUMBER | |
| | | | | 2128 | | |
| | | | | | | |
| | | | | MAIL DATE | DELIVERY MODE | |
| | | | | 07/30/2007 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | 11 | | | |
|---|---|---|----|--|--|--|
| | Application No. | Applicant(s) | | | | |
| · | 10/736,386 | WHITEFIELD ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Kimberly Thornewell | 2128 | | | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the | e correspondence address | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v. - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATI 36(a). In no event, however, may a reply be vill apply and will expire SIX (6) MONTHS fr , cause the application to become ABANDO | ON. e timely filed rom the mailing date of this communication. DNED (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on 29 M | <u>'ay 2007</u> . | | | | | |
| · <u> </u> | action is non-final. | | | | | |
| 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | | |
| closed in accordance with the practice under E | εx paπe Quayle, 1935 C.D. 11, | 453 O.G. 213. | | | | |
| Disposition of Claims | | | | | | |
| 4) Claim(s) 1-21 is/are pending in the application. | | | | | | |
| 4a) Of the above claim(s) is/are withdraw | wn from consideration. | | | | | |
| 5) Claim(s) is/are allowed. | | | | | | |
| 6) Claim(s) <u>1-21</u> is/are rejected. | | | | | | |
| 7) Claim(s) is/are objected to. | | • | | | | |
| 8) Claim(s) are subject to restriction and/o | r election requirement. | | | | | |
| Application Papers | • | | | | | |
| 9) The specification is objected to by the Examine | r. | | | | | |
| 10) $igotimes$ The drawing(s) filed on <u>15 December 2003</u> is/a | re: a)⊠ accepted or b)⊡ obj | ected to by the Examiner. | | | | |
| Applicant may not request that any objection to the | • | , , | | | | |
| Replacement drawing sheet(s) including the correct | | | | | | |
| 11) The oath or declaration is objected to by the Ex | caminer. Note the attached Offi | ice Action or form PTO-152. | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreigna) All b) Some * c) None of: | priority under 35 U.S.C. § 119 | l(a)-(d) or (f). | | | | |
| 1. Certified copies of the priority document | s have been received. | | | | | |
| 2. Certified copies of the priority document | s have been received in Applic | ation No | | | | |
| 3. Copies of the certified copies of the prio | • | eived in this National Stage | | | | |
| application from the International Bureau | | : | | | | |
| * See the attached detailed Office action for a list | of the certified copies not rece | IVea. | | | | |
| | | | | | | |
| | • | | | | | |
| Attachment(s) | | | | | | |
| Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4) Ll Interview Summ Paper No(s)/Mai | | | | | |
| 3) Information Disclosure Statement(s) (PTO/SB/08) | 5) Notice of Inform | al Patent Application | | | | |
| Paper No(s)/Mail Date | 6) [] Other: | | | | | |

DETAILED ACTION

1. Claims 1-21 were originally presented for examination. In the Office Action dated 12/26/2006, all of claims 1-21 were rejected. In the reply dated 5/29/2007, Applicant amended claims 1-4, 7, 10-12 and 19. Therefore claims 1-21 remain pending in the instant application.

Response to Arguments

2. Applicant's arguments filed 5/29/2007 have been fully considered but they are not persuasive.

Claim Objections

3. The Examiner thanks Applicant for amending claims 1 and 10-13 to overcome typographical errors. Accordingly, the objection to the claims is withdrawn.

Claim Rejections, 35 USC § 112

4. Applicant is thanked for amending claims 1, 7 and 19 in order to overcome the rejections under 35 USC § 112. Accordingly, this rejection is withdrawn.

Claim Rejections, 35 USC § 102

5. Regarding claim 1,

Applicant argued that Jordan III does not disclose defining an appropriate product/device input dataset for a plurality of different die sizes and products (Remarks page 8 paragraph 2).

The Examiner respectfully traverses this argument and points to column 12 lines 51-64. A strip

Application/Control Number: 10/736,386 Page 3

Art Unit: 2128

unit (a unit of sweep from a strip scan) can contain "exactly one die, a segment of a die, segments of two die, several whole die, or several whole die bounded by segments of one or two die." Because the strip scan (input dataset) comprises different die sizes and products (see for example, figures 9 and 12, die segment from fig. 9 vs. strip units from fig. 12), the Examiner submits that Jordan III teaches this feature.

Because Jordan III teaches each and every feature of Applicant's claim 1, the rejection of the claim under 35 USC § 102(b) is maintained.

6. Regarding claims 2-21,

Because Applicant respected no specific arguments with respect to these claims, the rejection of the claims under the prior art is maintained, as well.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-2 and 5-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Jordan, III et al., US Patent no. 5,864,394.

As per claim 1,

Application/Control Number: 10/736,386

Art Unit: 2128

Jordan discloses a method for calculating high-resolution wafer parameter profiles comprising the steps of:

a. Defining an appropriate product/device input dataset (column 10 lines 35-46, data gathering and sampling on a surface) for a plurality of different die sizes and products (column 12 lines 51-64);

Page 4

- b. Collecting a die level dataset for one of the products/devices defined in step (a) (column 12 lines 37-43) by generating a table of data for the lots and wafers of said one of the products/devices with the virtual die (column 12 lines 61-64) coordinate for each die and its corresponding value (sweeping, collecting a value for each value in the sweep, column 12 lines 44-51);
- c. Calculating a single composite value for each die coordinate (column 11 line 51-56, calculating intensity);
- d. Defining where on the virtual die it is desired to assign a composite value (column 12 line 65-column 13 line 2, intensity and aligning the beam with the virtual pattern on the location to be sampled);
- e. Calculating physical coordinates for each die value using the corresponding virtual coordinate and physical translation key (column 15 line 61-column 16 line 5, shows that coordinate locations are calculated for each intensity value);
- f. Repeating steps (b), (c), (d) and (e) for each of said die sizes and products defined in step (a) (column 14 lines 41-46, multiple events being processed);
- g. Merging the data from a plurality of files into one file (column 14 line 54, merging events);

Application/Control Number: 10/736,386 Page 5

Art Unit: 2128

h. Defining a grid (column 10 lines 37-51);

i. Creating a table with all the possible grid coordinates that would fit on a

production wafer (column 25 line 47-column 26 line 6, generating convolution data

given a wafer size);

j. Defining a smoothing algorithm (column 16 lines 58-61, interpolation exploiting

smooth shape);

k. Calculating the smoothed value for each point on the grid from the combined data

(column 16 lines 50-58); and

l. Plotting a wafer profile (figures 18 and 19).

As per claim 2,

Jordan discloses normalizing the composite die values so that they are mergeable with values from the other products (column 11 lines 30-38, figure 1B, Gaussian distribution).

As per claim 5,

Jordan discloses the appropriate product/device input dataset being defined by a variety

of devices sizes (column 12 lines 37-43, comparison of multiple strip units) with die level data

and different die sizes (column 12 lines 52-61, different sizes of strip units).

As per claim 6,

Application/Control Number: 10/736,386

Art Unit: 2128

Jordan discloses the appropriate product/device input dataset being defined by products/devices which represent the same process flow to be modeled (column 3 lines 54-64, finding intensities on all pixels).

As per claim 7,

Jordan discloses the appropriate product/device input dataset being defined by a sufficient number of lots from each device to calculate a reasonable average result value for each die (column 16 lines 36-39).

As per claim 8,

Jordan discloses the appropriate product/device input dataset being defined by die size for each device (column 12 lines 52-61).

As per claim 9,

Jordan discloses the appropriate product/device input dataset being defined by at least one reference physical correlation point between a specific virtual coordinate and an actual physical location on the wafer (column 12 line 65-column 13 line 2).

As per claim 10,

Jordan discloses the calculated single composite value for each die coordinate being an average of the data from all the individual lots and wafers corresponding to the die site (column 20 lines 6-11).

As per claim 11,

Jordan discloses the calculated single composite value for each die coordinate being a max of the data from all the individual lots and wafers corresponding to the die site (column 20 lines 33-37).

As per claim 12,

Jordan discloses the calculated single composite value for each die coordinate being a sum of the data from all the individual lots and wafers corresponding to the die site (column 25 lines 47-56).

As per claim 13,

Jordan discloses the calculated single composite value for each die coordinate being a percentage of the data from all the individual lots and wafers corresponding die site (column 17 lines 38-45).

As per claim 14,

Jordan discloses the composite value being assigned to a corner of the die nearest an edge of the wafer (column 9 lines 29-31).

As per claim 15,

Jordan discloses the composite value being assigned to a corner of the die nearest a center of the wafer (column 10 lines 12-14).

As per claim 16,

Jordan discloses the composite value being assigned from a center of the die (column 17 lines 5-8).

As per claim 17,

Jordan discloses a Cartesian coordinate system being used to calculate physical coordinates (column 12 lines 20-23, stage coordinate).

As per claim 18,

Jordan discloses a polar coordinate system being used to calculate physical coordinates (column 12 lines 20-23, wafer coordinate).

As per claim 19,

Jordan discloses the wafer profile being scaled, in equal increments of a range of values (column 19 lines 38-44).

As per claim 20,

Jordan discloses the wafer profile being scaled in equal percentiles of the data (column 25 lines 6-11).

As per claim 21,

Jordan discloses the wafer profile being plotted to show a three-dimensional contour map of the data (figure 7).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jordan as applied to claims 1-2 and 5-21 above, in view of Misutake et al., US Patent no. 6,885,950.

Jordan does not disclose expressly a Poisson Defect Density normalizing algorithm being used to perform the step of normalizing the composite die values so that they are mergeable with values from the other products. Mitsutake discloses a method for extracting wafer parameters including using a Poisson Defect Density normalizing algorithm to normalize the data so that they can be merged (column 7 lines 14-23).

It would have been obvious, at the time of the present invention, to modify Jordan's wafer extraction method with Mitsutake's Poisson Defect Density normalizing algorithm in order to normalize composite die value so they can be merged with values from different

products. The motivation for doing so would have been to represent random defects within the extracted wafer parameter profiles (Mitsutake column 7 lines 36-63).

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jordan as applied to claims 1-2 and 5-21 above, in view of Maaya et al. US Patent no. 7,065,239.

Jordan does not disclose expressly a max-min scaling normalizing algorithm being used to perform the step of normalizing the composite die values so that they are mergeable with values from the other products. Maaya discloses a method for extracting wafer parameters including using a max-min scaling normalizing algorithm to normalize the data so that they can be merged (column 14 lines 32-42).

It would have been obvious, at the time of the present invention, to modify Jordan's wafer extraction method with Mitsutake's max-min scaling normalizing algorithm in order to normalize composite die value so they can be merged with values from different products. The motivation for doing so would have been to stabilize the range of parameters for a wafer (Maaya column 14 lines 42-44).

Conclusion

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly Thornewell whose telephone number is (571)272-6543. The examiner can normally be reached on 9am-5:30pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamini Shah can be reached on (571)272-2279. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Kimberly A. Thornewell Patent Examiner Art Unit 2128

KAMINI SHAH KAMINI SHAH SUPERVISORY PATENT EXAMINER Application/Control Number: 10/736,386

Art Unit: 2128

KAT

Page 12